

# Safety Data Sheet

Issue Date: 04-Dec-2012

Revision Date: 19-Jan-2015

Version 1.0

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Bright Solutions High Power Concrete Cleaner

### Other Means of Identification

**Product Code** BSL6050050

### Recommended Use of the Chemical and Restrictions on Use

**Recommended Use** Concrete and asphalt cleaner. For industrial use.

### Details of the Supplier of the Safety Data Sheet

Bright Solutions  
140 Private Brand Way  
Athens, TN 37303

### Emergency Telephone Number

**Company Phone Number:** Phone: 1-800-467-6294  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Orange

**Physical State** Powder

**Odor** Pine

### Classification

Acute Toxicity- Oral	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1

### Signal Word

**Danger**

### Hazard Statements

Harmful if swallowed.  
Causes severe skin burns and eye damage.



### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not eat, drink or smoke when using this product.

### Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER/physician.  
SPECIFIC TREATMENT: Remove from exposure and treat symptoms.

### Precautionary Statements – Storage

Store locked up.

### Precautionary Statements – Disposal

Dispose of contents/container in accordance with local, regional, or national regulation.

**Hazards Not Otherwise Classified (HNOC)**

Can etch glass if not promptly removed.

**Unknown Acute Toxicity**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Sodium Metasilicate	6834-92-0	60-100
Sodium Carbonate	497-19-8	10-30
Alcohols, C9-11 ethoxylated	68439-46-3	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>Eye Contact</b>	Corrosive to eyes. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediately call a POISON CENTER or doctor/physician.
<b>Skin Contact</b>	Corrosive to skin. Flush skin with water for 15 minutes. Immediately call a POISON CENTER or doctor/physician.
<b>Inhalation</b>	Inhalation of dust is corrosive to respiratory tract. Remove victim to fresh air. Immediately call a POISON CENTER or doctor/physician.
<b>Ingestion</b>	Rinse mouth and drink plenty of water. Do NOT induce vomiting unless directed to do so by a qualified medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.

**Most Important Symptoms and Effects**

**Symptoms** Contact with skin and eyes is corrosive.

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.**Unsuitable Extinguishing Media**

Not determined.

**Specific Hazards Arising from the Chemical**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** Avoid release to the environment.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Collect in a clean, dry waste container for disposal. Dispose of in accordance with federal, state and local regulations. Use a water rinse for final clean up.

**7. HANDLING AND STORAGE****Precautions for Safe Handling**

**Advice on Safe Handling** Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing dust or fume. Use only in well-ventilated areas. Avoid contact with eyes and skin. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for Safe Storage, Including Any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

**Incompatible Materials** None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Sodium Carbonate 497-19-8	-	15mg/m <sup>3</sup>	-

**Appropriate Engineering Controls**

**Engineering Controls** General ventilation sufficient.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection** Eye protection should be worn when splashing may occur.

**Skin and Body Protection** Wear suitable gloves when handling this product.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Powder	<b>Odor</b>	Pine
<b>Appearance</b>	Orange	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Orange		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH (1%)</b>	12.0-12.5	(1% solution)
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	Not determined	
<b>Flash Point</b>	None (not flammable)	Tag Open Cup
<b>Evaporation Rate</b>	Not determined	
<b>Flammability (Solid, Gas)</b>	Not flammable	
<b>Upper Flammability Limits</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	

Vapor Pressure	Not determined
Vapor Density	Not determined
Specific Gravity	0.96
Water Solubility	Moderate in water @ 25 °C
Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Generates heat when mixed with acid. May react with ammonium salt solutions resulting in evolution of ammonia gas. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc. Carbon monoxide gas may be produced on contact with reducing sugars.

### Hazardous Decomposition Products

Thermal decomposition may result in the formation of carbon dioxide, hydrogen, and oxygen.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

<b>Eye Contact</b>	Causes eye burns.
<b>Skin Contact</b>	Causes skin burns.
<b>Inhalation</b>	Avoid breathing dust.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Chronic Effects</b>	Excessive, long term contact may produce "soda ulcers" on hands and perforation of the nasal septum. Sensitivity reactions may occur from prolonged and repeated exposure. Risk of throat, nose bleeds and chronic bronchitis.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-
Sodium Carbonate 497-19-8	= 4090mg/kg (Rat)	2000mg/kg	800mg/m <sup>3</sup> (Guinea Pig)
Alcohols, C9-11 ethoxylated 68439-46-3	= 1378 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-

**Information on Physical, Chemical and Toxicological Effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical Measures of Toxicity**

Not determined

**Unknown Acute Toxicity** None known.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	-	216: 96 h Daphnia magna mg/L EC50
Sodium Carbonate 497-19-8	14mg/L (Phytoplankton 7d)	300-320mg/L (Bluegill 96hr)	-	265mg/L (Daphnia 45hr)
Alcohols, C9-11 ethoxylated 68439-46-3	-	8.5mg/L (96HR) Pimephales promelas	-	5.3 mg/L (48hr) Daphnia

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT** UN 3262, Corrosive Solid, Basic, Inorganic, NOS(Containing Sodium Metasilicate), 8, PG II

**IATA****IMDG****15. REGULATORY INFORMATION****International Inventories**

Not determined

**US Federal Regulations**

**CERCLA**

None listed.

**SARA 311/312 Hazard Categories**

Immediate (Acute) Health and Delayed (Chronic) Health.

**SARA 313**

Not determined

**US State Regulations**

**U.S. State Right-to-Know Regulations**

The following ingredients appear on various state right to know lists and/or California's Proposition 65 list:

Chemical Name	State List
None Listed	

- |  |  |
|--|--|
| AZ- Arizona Ambient Air Quality Guidelines             | IL- Illinois Toxic Air Contaminant- Carcinogenic |
| CT- Connecticut Hazardous Air Pollutants               | MA- Massachusetts Right to Know List             |
| CA- California Director's List of Hazardous Substances | MN- Minnesota Hazardous Substances List          |
| CAP65- California Prop65                               | NJ- New Jersey Right to Know List                |
| FL- Florida Substances List                            | PA- Pennsylvania Right to Know List              |
| ID- Idaho Non-Carcinogen Toxic Air Pollutants          | RI- Rhode Island Hazardous Substances List       |

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	Not determined	Not determined	Not determined	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	3	0	0	Not determined

**Issue Date:** 04-Dec-2012  
**Revision Date:** 19-Jan-2015  
**Revision Note:** New format Version 1.0

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Keep Out of Reach of Children. For Industrial and Institutional Use Only.**

\*Denotes changes from last version.

**End of Safety Data Sheet**