Safety Data Sheet

Issue Date 01-Sept-2011

Revision Date: 22-Jan-2015

Version 1.0

	1. IDENTIFICATION	
Product Identifier Product Name	Bright Solutions Concentrated Glass Cleaner	
Other Means of Identification Product Code	BSL502000041	
Recommended use of the Chemic	al and Restrictions on Use	
Recommended Use	Glass cleaner. For industrial use.	
Details of the Supplier of the Safet Bright Solutions 140 Private Brand Way Athens, TN 37303	ty Data Sheet	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	Phone: 1-800-467-6294 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Appearance Dark Blue	Physical State Liquid	Odor Floral
Classification		
Serious eye damage/eye irritation Flammable Liquids		Category 2 Category 3
<u>Signal Word</u> Danger		
Hazard Statements Causes eye irritation. Flammable liquid and vapor.		
Precautionary Statements - Preven	ntion	

Wash face, hands and any exposed skin thoroughly after handling. Keep container tightly closed and away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment, taking precautionary measures against static discharge. Use only non-sparking tools and explosion-proof equipment. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, or national regulations.

Other Hazards

None known.

Unknown Acute Toxicity None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	10-30
Ethylene Glycol n-Butyl Ether	111-76-2	5-10
Alkyl Polyglycoside Surfactants	68515-73-1/ 110615-47-9	1-5

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.		
Skin Contact	May be irritating to skin. Rinse with soap and water. Get medical advice/attention if rash or irritation persists.		
Inhalation	If breathing becomes difficult, remove victim to fresh air. If discomfort persists, get medical advice/attention.		
Ingestion	Immediately drink plenty of water. If any discomfort persists, get medical attention.		
Most Important Symptoms and Effe	ects		
Symptoms	Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Prolonged or repeated skin contact may cause irritation.		
Indication of Any Immediate Medical Attention and Special Treatment Needed			
Notes to Physician	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media

Not determined.

Specific Hazards Arising from the Chemical

Flammable.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Clean-Up	Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.			
7. HANDLING AND STORAGE				
Precautions for Safe Handling				
Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with eyes. Observe			

good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions

Incompatible Materials

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep out of the reach of children. None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³	
Ethylene Glycol n-Butyl Ether 111-76-2 TWA: 20 ppm		TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³	

Appropriate Engineering Controls

Engineering Controls	Ventilation systems.	
Individual Protection Measures, suc	ch as Personal Protective Equipment	
Eye/Face Protection	No protective equipment is needed under normal use conditions.	
Skin and Body Protection	None required under normal use.	
Respiratory Protection	No protective equipment is needed under normal use conditions.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical	State
Appearar	ice
Color	

Liquid Clear Dark Blue

Odor Odor Threshold Floral Not determined

Property pH <u>Values</u> 11.5-12.0 Remarks · Method

Melting Point/Freezing Point	~ 0 °C / ~32 °F	
Boiling Point/Boiling Range	~ 100 ℃ / ~212 ℉	
Flash Point	Not determined	Tag Open Cup
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	0.98	
Water Solubility	Completely soluble	@ 25 ℃ (77 °F)
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep away from heat, flames, and sparks. Keep from freezing.

Incompatible Materials

Avoid strong acids, alkalis, and oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition may produce carbon monoxide and other unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact	Causes eye irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
Isopropyl Alcohol 67-63-0	= 4396mg/kg (Rat)	= 12800mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6mg/L (Rat) 4 h	
Ethylene Glycol n-Butyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h	
Alkyl Polyglycoside Surfactants 68515-73-1/ 110615-47-9	> 5000 mg/kg (Rat)	-	-	

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		x
Ethylene Glycol n-Butyl Ether 111-76-2	A3	Group 3		

Legend

CGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity

None known.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus μg/L LC50	-	13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol n-Butyl Ether 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol n-Butyl Ether 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

14. TRANSPORT INFORMATION			
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.		
DOT	Not regulated when shipped in containers less than 119 gallons		
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant		
15. REGULATORY INFORMATION			
Internetional Inventorias			

International Inventories

Not determined

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard

Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol n-Butyl Ether	111-76-2	3-7	1.0

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Isopropyl Alcohol 67-63-0	MA, NJ, PA
Ethylene Glycol n-Butyl Ether 111-76-2	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 - California Prop 65

FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ - New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

Protection

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
HMIS	Not determined Health Hazards	Not determined Flammability	Not determined Physical Hazards	Not determined Personal Protecti
	1	2	0	Not determined

Issue Date Revision Date: Revision Note

01-Sept-2011 22-Jan-2015 New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

*Denotes changes from last version.

End of Safety Data Sheet