# **Safety Data Sheet**

Issue Date 03-Dec-2014 Revision/Review Date: 23-Jan-2019 Version 1.1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Bright Solutions Klearview Glass Cleaner #1

Other Means of Identification

Product Code BSL90390065T

Recommended use of the Chemical and Restrictions on Use

**Recommended Use** Glass cleaner concentrate. For industrial use.

**Details of the Supplier of the Safety Data Sheet** 

Bright Solutions 140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-800-467-6294

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Blue Physical State Liquid Odor None

#### Classification

Serious eye damage/eye irritation	Category 2 Sub-category A
Flammable Liquids	Category 3

# Signal Word

Warning

#### **Hazard Statements**

Causes serious eye irritation. Flammable liquid and vapor.

# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Keep container tightly closed and away from heat/sparks/open flames/hot surfaces. — No smoking.

Ground/bond container and receiving equipment, taking precautionary measures against static discharge.

Use only non-sparking tools and explosion-proof equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

# Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction.

### <u>Precautionary Statements - Storage</u>

Store in a well-ventilated place. Keep cool.

# <u>Precautionary Statements - Disposal</u>

Dispose of contents/container in accordance with local, regional, or national regulations.

# **Other Hazards**

None known.





# **Unknown Acute Toxicity**

None known.

# Product AT USE DILUTION

GHS Classification: Not classified. Signal Word: No signal word.

Hazard Statements: No known significant effects or critical hazards.

Prevention: Wash thoroughly after handling.

Response: Get medical attention if symptoms appear. Disposal: No other specific measures identified.

Other Hazards: None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	10-30
Ethylene Glycol n-Butyl Ether	111-76-2	10-30
Alkyl Polyglycoside Surfactants	68515-73-1/ 110615-47-9	3-7
Alkyl Sulfate	68479-94-4	3-7
Tetrasodium EDTA	64-02-8	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### Product AT USE DILUTION

No hazardous ingredients in reportable quantities are present in the product.

# 4. FIRST-AID MEASURES

### First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** May be irritating to skin. Rinse with soap and water. Get medical advice/attention if rash or

irritation persists.

**Inhalation** If breathing becomes difficult, remove victim to fresh air. If discomfort persists, get medical

advice/attention.

**Immediately** drink plenty of water. If any discomfort persists, get medical attention.

# **Most Important Symptoms and Effects**

Symptoms Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye,

and irritation. Prolonged or repeated skin contact may cause irritation.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

# Product AT USE DILUTION

Eye Contact: May cause eye irritation. Rinse with water for a few minutes. Skin Contact: No known effect. Rinse with water for a few minutes. Inhalation: No special measures required. Treat symptomatically.

Ingestion: Get medical attention if symptoms occur.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam.

### **Unsuitable Extinguishing Media**

Not determined.

#### **Specific Hazards Arising from the Chemical**

Flammable.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** Avoid release to the environment.

### Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush

away traces with water.

#### Product AT USE DILUTION

Personal Precautions: Use personal protective equipment as required.

Environmental Precautions: Avoid contact of large amounts of spilled material and runoff with soil and surface

waterways.

Methods for Clean Up: Use a water rinse for a final clean-up.

### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8.

Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with eyes. Observe

good industrial hygiene practices.

# Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Keep out of the reach of children.

Incompatible Materials None known.

# Product AT USE DILUTION

Handling and Storage: Wash thoroughly after handling. Keep out of reach of children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Ethylene Glycol n-Butyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

# **Appropriate Engineering Controls**

**Engineering Controls** Ventilation systems.

### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** No protective equipment is needed under normal use conditions.

**Skin and Body Protection** None required under normal use.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### Product AT USE DILUTION

Engineering Controls: Good general room ventilation should be adequate.

Eye Protection: No protective equipment needed under normal use conditions.

Skin and Body Protection: No protective equipment needed under normal use conditions. Respiratory Protection: No protective equipment is needed under normal use conditions.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Information on Basic Physical and Chemical Properties**

Physical State Liquid

Appearance Clear Odor None

Color Blue Odor Threshold Not determined

Property Values Remarks • Method

pH 11.0-11.5 Melting Point/Freezing Point  $\sim 0$  °C /  $\sim 32$  °F

Boiling Point/Boiling Range 32 °C / 89.6 °F

Flash Point Not determined Tag Open Cup

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not determined

Specific Gravity 1.00

**Oxidizing Properties** 

Water Solubility Completely soluble @ 25 °C (77 °F)

Not determined

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
Not determined
Not determined
Not determined
Not determined
Not determined
Not determined

Page 4/8

#### Product AT USE DILUTION

Physical State: Liquid Color: Light blue Odor: None pH: 10.0-10.5

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to Avoid**

Keep out of reach of children. Keep away from heat, flames, and sparks. Keep from freezing.

### **Incompatible Materials**

Avoid strong acids, alkalis, and oxidizing agents.

### **Hazardous Decomposition Products**

Thermal decomposition may produce carbon monoxide and other unidentified organic compounds.

# 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### **Product Information**

**Eye Contact** Causes eye irritation.

**Skin Contact** Prolonged contact may cause redness and irritation.

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

**Ingestion** Do not taste or swallow.

# Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl Alcohol 67-63-0	= 4396mg/kg (Rat)	= 12800mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6mg/L (Rat) 4 h
Ethylene Glycol n-Butyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
Alkyl Polyglycoside Surfactants 68515-73-1/ 110615-47-9	> 5000 mg/kg (Rat)	-	-
Tetrasodium EDTA 64-02-8	= 10 g/kg ( Rat )	-	-

### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# <u>Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure</u>

**Carcinogenicity** Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X

Ethylene Glycol n-Butyl Ether A3 Group 3

Revision/Review Date: 23-Jan-2019

Legend

CGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### **Numerical Measures of Toxicity**

Not determined

# **Unknown Acute Toxicity**

None known.

# Product AT USE DILUTION

No specific data available.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	-	13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol n-Butyl Ether 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	-	1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	-	610: 24 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined

# **Bioaccumulation**

Not determined

# **Mobility**

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05
Ethylene Glycol n-Butyl Ether 111-76-2	0.81

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

\_\_\_\_

Revision/Review Date: 23-Jan-2019

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated when shipped in containers less than 119 gallons

<u>IATA</u>

**IMDG** 

Marine Pollutant This material may meet the definition of a marine pollutant

Product AT USE DILUTION

Not intended for transport.

# 15. REGULATORY INFORMATION

#### **International Inventories**

Canada – Domestic Substances List (DSL) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. All ingredients are listed or exempt.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol n-Butyl Ether	111-76-2	3-7	1.0

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical Name	State List
Isopropyl Alcohol 67-63-0	MA, NJ, PA
Ethylene Glycol n-Butyl Ether 111-76-2	MA, NJ, PA

AZ - Arizona Ambient Air Quality Guidelines

CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65

FL - Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL - Illinois Toxic Air Contaminate- Carcinogenic

MA – Massachusetts Right to Know List

MN – Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA - Pennsylvania Right to Know List

RI - Rhode Island Hazardous Substances List

**16. OTHER INFORMATION** 

Revision/Review Date: 23-Jan-2019

Not determined

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection

2

Product AT USE DILUTION

Health Hazard: 1 Flammability: 0 Physical Hazards: 0

Personal Protection: Not determined

Issue Date03-Dec-2014Revision/Review Date:23-Jan-2019

**Revision Note** Version 1.1 Added At Use Dilution Information

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

**End of Safety Data Sheet**